

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 002392	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 05/07/2015
NAME OF PROVIDER OR SUPPLIER TERRACE AT TOWNE CENTRE THE		STREET ADDRESS, CITY, STATE, ZIP CODE 7252 ARTHUR BLVD MERRILLVILLE, IN 46410		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
R 000	<p>INITIAL COMMENTS</p> <p>This visit was for the Investigation of Complaint IN00172259.</p> <p>Complaint IN00172259-Substantiated. No deficiencies related to the allegation are cited.</p> <p>Survey dates: May 6 and 7, 2015</p> <p>Facility number: 002392 Provider number: 002392 AIM number: N/A</p> <p>Census bed type: Residential: 45 Total: 45</p> <p>Census payor type: Other: 45 Total: 45</p> <p>Sample: 5</p> <p>Terrace at Towne Centre was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaint IN00172259.</p>	R 000		

Indiana State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE